

A. Schmittner, A. Abe-Ouchi, P. Braconnot, S.P. Harrison and B.L. Otto-Bliesner

- Abe-Ouchi, A. and Harrison, S.P., 2009: Constraining the carbon-cycle feedback using palaeodata: the PalaeoCarbon Modelling Intercomparison Project, *EOS*, **90**(16): 140.
- Bartlein, P., et al., 2010: Pollen-based continental climate reconstructions at 6 and 21 ka: a global synthesis, *Climate Dynamics*, doi: 10.1007/s00382-010-0904-1.
- Hargreaves, J.C., Paul, A., Ohgaito, R., Abe-Ouchi, A. and Annan, J.D., 2011: Are the paleomodel ensembles consistent with the MARGO data synthesis? *Climate of the Past Discussion*, **7**: 775-807.
- Joussaume, S. and Taylor, K.E., 1995: Status of the Paleoclimate Modeling Intercomparison Project, *Proceedings of the first international AMIP scientific conference, WCRP-92, Monterey, USA*: 425-430.
- Otto-Bliesner, B.L., Joussaume, S., Braconnot, P., Harrison, S.P. and Abe-Ouchi, A., 2009: Modeling and data synthesis of past climates, *EOS*, **11**: 93.
- Schmittner, A., Bartlein, P.J., Clark, P.U., Mahowald, N.M., Rosell-Melé, A. and Shakun, J.D., submitted: Climate sensitivity estimated from temperature reconstructions of the Last Glacial Maximum, *Science*.
- Shakun, J.D., Clark, P.U., He, F., Liu, Z., Otto-Bliesner, B., Marcott, S.A., Mix, A.C., Schmittner, A. and Bard, E., in preparation: The role of CO₂ during the last deglaciation.
- Taylor, E., Stouffer, R. and Meehl, G., 2009: A Summary of the CMIP5 Experiment Design, http://cmip-pcmdi.llnl.gov/cmip5/docs/Taylor_CMIP5_design.pdf
- Waelbroeck, C., et al., 2009: Constraints on the magnitude and patterns of ocean cooling at the Last Glacial Maximum, *Nature Geoscience*, **2**(2): 127-132.
- Yoshimori, M., Hargreaves, J.C., Annan, J.D., Yokohata, T. and Abe-Ouchi, A., submitted: Dependency of feedbacks on forcing and climate state in perturbed parameter ensembles, *Journal of Climate*.

F.M. Chambers and J.R.G. Daniell

- BAP Scientific Services, 2011: *BAP Science: the Capacity Issue*, <http://www.bapscience.org.uk/BAPsciencethecapacityissue.html> Accessed 12th January 2011.
- Bremer, L.L. and Farley, K.A., 2010: Does plantation forestry restore biodiversity or create green deserts? A synthesis of the effects of land-use transitions on plant species richness, *Biodiversity and Conservation*, **19**: 3893–3915.
- Chambers, F.M. and Charman, D.J., 2004: Holocene environmental change: contributions from the peatland archive, *The Holocene*, **14**: 1–6.
- Chambers, F.M., Mauquoy, D. and Todd, P.A., 1999: Recent rise to dominance of *Molinia caerulea* in Environmentally Sensitive Areas: new perspectives from palaeoecological data, *Journal of Applied Ecology*, **26**: 719–733.
- Chambers, F.M., Daniell, J.R.G., Mauquoy, D., Newberry, J. and Toms, P.S., 2006: *A Preliminary Examination of the Vegetation History of Moorland in Northern England. Report on Project Contract VT014 to English Nature*, CECQR, University of Gloucestershire.
- Chambers, F.M., Mauquoy, D., Cloutman, E.W., Daniell, J.R.G. and Jones, P.S., 2007a: Recent vegetation history of Drygarn Fawr (Elenydd SSSI), Cambrian Mountains, Wales: implications for conservation management of degraded blanket mires, *Biodiversity and Conservation*, **16**: 2821–2846.
- Chambers, F.M., Mauquoy, D., Gent, A., Pearson, F., Daniell, J.R.G. and Jones, P.S., 2007b: Palaeoecology of degraded blanket mire in South Wales: data to inform conservation management, *Biological Conservation*, **137**: 197–209.
- Convention on Biological Diversity, 1992: *Convention on Biological Diversity*, <http://www.cbd.int/convention/text/> Accessed 9th January 2011.

- Davies, A.L. and Bunting, M.J., 2010: Applications of palaeoecology in conservation, *The Open Ecology Journal*, **3**: 54–67. doi: 10.2174/1874213001003020054
- De Jong, R., et al., 2010: Peatlands and climate. In: Dodson, J. (Ed.), *Changing Climates, Earth Systems, and Society*, Springer, 85–121.
- DEFRA, 2007a: *Conserving Biodiversity—The UK Approach*, <http://www.ukbap.org.uk/library/UKSC/DEF-PB12772-ConBio-UK.pdf> Accessed 9th January 2011.
- DEFRA, 2007b: *UK Biodiversity Action Plan: Priority Habitat Descriptions*, http://strategy.sebiodiversity.org.uk/data/files/Hab_Def/ukbappriorityhabitatdescriptionsfinalal1habitats20081022.pdf Accessed 9th January 2011.
- Hodder, K.H., Buckland, P.C., Kirby, K.K. and Bullock, J.M., 2009: Can the mid-Holocene provide suitable models for rewilding the landscape in Britain? *British Wildlife*, **20**: 4–15.
- Hughes, P.D.M., Lomas-Clarke, S.H., Schulz, J. and Jones, P., 2007: The declining quality of late-Holocene ombrotrophic communities and the loss of *Sphagnum austinii* (Sull. ex Aust.) on raised bogs in Wales, *The Holocene*, **17**: 613–625.
- Hughes, P.D.M., Lomas-Clarke, S.H., Schulz, J. and Barber, K.E., 2008: Decline and localized extinction of a major raised bog species across the British Isles: evidence for associated land-use intensification, *The Holocene*, **18**: 1033–1043.
- Jones, P.S., Stevens, D.P., Blackstock, T.H., Burrows, C.R., and Howe, E.A., 2003: *Priority Habitats of Wales: a Technical Guide*, Countryside Council for Wales.
- Lindsay, R.A., Charman, D.J., Everingham, F., O'Reilly, R.M., Palmer, M.A., Rowell, T.A. and Stroud, D.A., 1988: *The Flow Country. The Peatlands of Caithness and Sutherland*, Nature Conservancy Council.
- Marrs, R.H., Phillips, J.D.P., Todd, P.A., Ghorbani, J. and Le Duc, M.G., 2004: Control of *Molinia caerulea* on upland moors, *Journal of Applied Ecology*, **41**: 398–411.
- McClymont, E.L., Mauquoy, D., Yeloff, D., Broekens, P., van Geel, B., Charman, D.J., Pancost, R.D., Chambers, F.M. and Evershed, R.P., 2008: The disappearance of *Sphagnum imbricatum* from Butterburn Flow, UK, *The Holocene*, **18**: 991–1002.
- McClymont, E.L., Mauquoy, D., Yeloff, D., Broekens, P., van Geel, B., Charman, D.J., Pancost, R.D., Chambers, F.M. and Evershed, R.P. 2009: The disappearance of *Sphagnum imbricatum* from Butterburn Flow, UK: a reply to comments by Bjorn Robroek et al., *The Holocene*, **19**: 1094–1097.
- NCC, 1984: *Nature Conservation in Great Britain*, Nature Conservancy Council.
- Ratcliffe, D.A., 1977: *A Nature Conservation Review*, 2 vols, Cambridge University Press.
- Robertson, P.A., Park, K.J., and Barton, A.F., 2001: Loss of heather moorland in the Scottish uplands: the role of red grouse management, *Wildlife Biology*, **7**: 37–42.
- Rodwell, J.S., Piggott, C.D., Ratcliffe, D.A., Malloch, A.J.C., Birks, H.J.B., Proctor, M.C.F., Shimwell, D.W., Huntley, J.P., Radfors, E., Wigginton, M.J. and Wilkins, P., 1991: *British Plant Communities Volume 2: Mires and Heaths*, Cambridge University Press.
- Rodwell, J.S., Dring, J.C., Averis, A.B.G., Proctor, M.C.F., Malloch, A.J.C., Schaminée, J.N.J. and Dargie, T.C.D., 2000: *Review of Coverage of the National Vegetation Classification, JNCC Report 302*, Joint National Conservation Committee.
- Stevenson, A.C. and Thompson, D.B.A., 1993: Long-term changes in the extent of heather moorland in upland Britain and Ireland: palaeoecological evidence for the importance of grazing, *The Holocene*, **3**: 70–76.
- Tallis, J.H., 1998: Growth and degradation of British and Irish blanket mires, *Environmental Reviews*, **6**: 81–122.
- Thompson, D.B.A., MacDonald, A.J., Marsden, J.H. and Galbraith, C.A., 1995: Upland heather moorland in Great Britain: a review of international importance, vegetation change and some objectives for nature conservation, *Biological Conservation*, **71**: 163–178.

- UKBAP, 2008: *UK Biodiversity Action Plan Priority Habitat Groups Terms of Reference, agreed October 08 at UKBPSC*, Joint National Conservation Committee.
- Usher, M.B. and Thompson, D.B.A. (Eds), 1988: *Ecological change in the uplands*, British Ecological Society Special Publication No.7., Blackwell Scientific Publications.
- Willis, K.J. and Birks, H.J.B., 2006: What is natural? The need for a long-term perspective in biodiversity conservation, *Science*, **314**: 1261–1265.
- Yeo, M., 1997: Blanket mire degradation in Wales. In: Tallis, J.R., Meade, R. and Hulme, P.D. (Eds), *Blanket Mire Degradation: Causes, Consequences and Challenges*, Macaulay Land Use Research Institute (for BES), 101–115.

D.S. Crook, R.C. Chiverrell, J.A. Dearing, R.T. Jones and K.E. Welsh⁵

- Coulthard, T.J. and MacKlin, M.G., 2001: How sensitive are river systems to climate and land-use changes? A model-based evaluation, *Journal of Quaternary Science*, **16**: 347-351.
- Crook, D.S., Siddle, D.J., Jones, R.T. Dearing, J.A., Foster, G.C. and Thompson, R., 2002: Forestry and flooding in the Annecy Petit Lac Basin, 1730-2000, *Environment and History*, **8**(4): 403-428.
- Crook, D.S., Siddle, D.J., Dearing, J.A. and Thompson, R., 2004: Human Impact on the Environment in the Annecy Petit Lac catchment, Haute-Savoie: A documentary approach, *Environment and History*, **10**(3): 247-284.
- Dearing J.A., 2008: China Landscape change and resilience theory: a palaeoenvironmental assessment from Yunnan, SW China, *The Holocene*; **18**(1): 117-127.
- Foster, G.C., et al., 2003: Meteorological and land use controls on geomorphic and fluvial processes in the pre-Alpine environment: an integrated lake-catchment study at the Petit Lac d'Annecy, *Hydrological Processes*, **17**(16): 3287-3305.
- Jones, A.M., 1987: Kin relations in a French alpine community: A preliminary investigation, *Sociologia Ruralis*, **27**(4): 304-322.
- Pachauri, R.K. and Reisinger, A. (Eds.) 2007: Climate Change 2007 Synthesis Report, Contribution of Working Groups I, II and III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change, IPCC, Geneva, Switzerland. pp 104.
- Siddle, D.J., 1986: Inheritance strategies and lineage development in a peasant society, *Continuity and Change*, **3**: 333-61.
- Siddle, D.J., 1997: Migration as a strategy of accumulation: social and economic change in eighteenth-century Savoy, *The Economic History Review*, **50**: 1-20.
- Theler, D., Reynard, E., Lambiel, C. and Bardou, E., 2010: The contribution of geomorphological mapping to sediment transfer evaluation in small alpine catchments, *Geomorphology*, **124**(3-4): 113-123.
- Welsh, K.E., Dearing, J.A., Chiverrell, R.C. and Coulthard, T.J., 2009: Testing a cellular modelling approach to simulating late-Holocene sediment and water transfer from catchment to lake in the French Alps since 1826, *The Holocene*, **19**: 785-798.

M. Dotterweich and S. Dreibrödt

- Bork, H.-R., Bork, H., Dalchow, C., Faust, B., Piorr, H.-P. and Schatz, T. (Eds.), 1998: *Landschaftsentwicklung in Mitteleuropa - Wirkungen des Menschen auf Landschaften*. Klett-Perthes, Gotha.
- Dotterweich, M., 2008: The history of soil erosion and fluvial deposits in small catchments of central Europe: Deciphering the long-term interaction between humans and the environment - A review, *Geomorphology*, **101**(1-2): 192-208.

- Dreibrodt, S., Lubos, C., Terhorst, B., Damm, B. and Bork, H.-R., 2010: Historical soil erosion by water in Germany: Scales and archives, chronology, research perspectives, *Quaternary International*, **222**(1-2): 80-95.
- Fraser, E.D.G., 2010: Can economic, land use and climatic stresses lead to famine, disease, warfare and death? Using Europe's calamitous 14th century as a parable for the modern age, *Ecological Economics*, **70**(7): 1269 - 1279.
- Hoffmann, T., Thorndycraft, V.R., Brown, A.G., Coulthard, T.J., Damnati, B., Kale, V.S., Middelkoop, H., Notebaert, B. and Walling, D.E., 2011: Human impact on fluvial regimes and sediment flux during the Holocene: Review and future research agenda, *Global and Planetary Change*, **72**: 87-98.
- Notebaert, B. and Verstraeten, G., 2010: Sensitivity of West and Central European river systems to environmental changes during the Holocene: A review, *Earth Science Reviews*, **103**(3-4): 163-182.

Supplementary Material

Details from Figure 1:

No.	Location	Archive	Investigated Process	Reference
1	Meerdaal Forest	Colluvium	Gullying	Vanwalleghem et al, 2006; 2007
2	Nethen Catchment	Colluvium	Hillslope erosion, floodplain development	Rommens et al., 2005; 2006; 2007
3	Geul River	Colluvium, Alluvium	Hillslope erosion, floodplain and fan development,	de Moor (2007), de Moor and Verstraeten (2008), de Moor et al. (2008)
4	Kölner Bucht	Colluvium	Gullying, Hillslope erosion	Schulz (2007)
5	Holzmaar	Lake sediments	Hillslope erosion	Zolitschka (1998)
6	Lothringen and Westpfalz	Contemporary documents	Gullying	Hard (1970)
7	Aar river catchment	Colluvium	Gullying, Hillslope erosion	Stolz and Grunert (2006)
8	Hoch- und Hintertaunus	Profile truncation	Gullying	Bauer (1993)
9	Pleiser Hügelland	Colluvium	Gullying, Hillslope erosion	Preston (2001)
10	Albersdorf	Colluvium	Gullying, Hillslope erosion	Schmidtchen et al. (2003a), Reiß et al. (2006a, b)
11	Schlüsбек	Colluvium	Hillslope erosion	Schmidtchen (2003)
12	Lake Belau	Lake sediments, Colluvium	Gullying, Hillslope erosion	Dreibrodt (2005), Dreibrodt and Bork (2005), (2006)
13	Woserin	Colluvium	Hillslope erosion	Schmidtchen et al. (2003c)
14	Katlenburg	Colluvium, Alluvium	Hillslope erosion	Bork (1981), (1988), Bork et al. (1998)
15	Rüdershausen	Colluvium	Gullying	Bork (1988), Bork et al. (1998)
16	Duderstadt	Contemporary documents	Gullying	Hempel (1954)
17	Desingerode	Colluvium	Hillslope erosion	Bork (1988), Bork et al. (1998)
18	Halle-Eisleben	Colluvium	Gullying	Seils (2000)

19	Großstorkwitz	Colluvium	Hillslope erosion	Tinapp et al. (2000)
20	Frickenhauser See	Lake sediments	Hillslope erosion	Enters et al. (2008)
21	Friesen	Colluvium	Hillslope erosion	Dotterweich (2003a), Dotterweich et al. (2003a)
22	Hainbach	Colluvium	Gullying, Hillslope erosion	Dotterweich (2003b), (2005)
23	Wolfsgraben	Colluvium	Gullying, Hillslope erosion	Dotterweich et al. (2003c,d), Schmitt (2003), Schmitt et al. (2003)
24	Mühlhausen	Colluvium	Gullying	Dotterweich (2004)
25	Altendorf	Colluvium	Hillslope erosion, floodplain development	Dotterweich et al. (2003b)
26	Vahingen	Colluvium	Hillslope erosion	Lang and Hönscheidt (2000)
27	Manching	Colluvium	Hillslope erosion	Völkel et al. (2002)
28	Glasow	Colluvium	Hillslope erosion	Bork et al. (1998), Schatz (2000)
29	Rathsdorf	Colluvium	Hillslope erosion	Schmidtchen et al. (2003b)
30	Biesdorfer Kehlen	Colluvium	Gullying, Hillslope erosion, fan development	Schmidtchen and Bork (2003)
31	Wolfsschlucht	Colluvium	Gullying, Hillslope erosion, fan development	Bork et al. (1998)
32	Dahmsdorf	Colluvium	Hillslope erosion	Bork et al. (1998)
33	Jänschwalde-Horno 32	Colluvium	Hillslope erosion	Woithe (2003)
34	Eastern Sudetes	Colluvium, Alluvium	Hillslope erosion, floodplain development	Klimek and Latocha (2007)
35	Proboszczowicka Plateau	Exposed tree roots, Contemporary documents	Gullying	Malik (2008)
36	Głubczyce Plateau	Colluvium, Alluvium	Fan development	Zygmunt (2004)
37	Myjava Hill Land	Contemporary documents	Gullying	Stankovianski (2003a,b,c)
38	Suwałki Lakeland	Colluvium, Alluvium	Gullying, fan development	Smolska (2007)
39	Kazimierz Dolny	Colluvium	Gullying	Schmitt et al. (2005)
40	Jedlincy Dol	Colluvium, Hillslope erosion	Gullying	Schmitt et al. (2006)
41	Kanczuga Plateau	Colluvium, Alluvium	Hillslope erosion, floodplain development	Klimek et al. (2006)

M. Edwards and M.J. Grant

Björkman, L., 1999: The establishment of *Fagus sylvatica* at the stand-scale in southern Sweden, *The Holocene*, 9: 237-245.

Flower, N., 1980, The Management History and Structure of Unenclosed Woods in the New-Forest, Hampshire, *Journal of Biogeography*, 7: 311-328.

Grant, M.J. and Edwards, M.E., 2008: Conserving idealized landscapes: past history, public perception and future management in the New Forest (UK), *Vegetation History and Archaeobotany*, 17: 551-562.

Grant, M.J., Barber, K.E., and Hughes, P.D.M., 2009: True Ancient Woodland? 10,000 years of continuous woodland cover at Mark Ash Wood, New Forest. In: Briant, B., et al. (Eds),

- Quaternary of the Solent Basin and West Sussex Raised Beaches*, Quaternary Research Association, 215-233.
- Mountford, E.P., Peterken, G.F., Edwards, P.J. and Manners, J.G., 1999: Long-term change in growth, mortality and regeneration of trees in Denny Wood, an old-growth wood-pasture in the New Forest (UK), *Perspectives in Ecology, Evolution and Systematics*, 2: 223-272.
- Mountford, E.P. and Peterken, G.E., 2003: Long-term change and implications for the management of wood pastures: experience over 40 years from Denny Wood, New Forest, *Forestry*, 76: 19-43.
- Peterken G.F., Spencer, J.W. and Field, A.B., 1999: *Plan for the Ancient & Ornamental Woodlands of the New Forest*, Forestry Commission, Lyndhurst, UK.
- Rackham, O., 2003: *Ancient Woodland: Its History, Vegetation and Uses in England*, Castlepoint Press, 624pp.
- Tubbs, C.R., 2001: *The New Forest: History, Ecology and Conservation*, New Forest Ninth Centenary Trust, 450pp.
- Waller, M.P. and Schofield, J.E., 2006: Mid to late Holocene vegetation and land use history in the Weald of south-eastern England: multiple pollen profiles from the Rye area, *Vegetation History and Archaeobotany*, 16: 367-384.
- Watt, A.S., 1923: On the ecology of British beechwoods with special reference to their regeneration. Part I. The cause of failure of natural regeneration of the beech (*Fagus sylvatica* L.), *Journal of Ecology*, 11: 1-48.

D. Galop, T. Houet, F. Mazier, G. Leroux and D. Rius

- Berglund, B.E., Gaillard, M.-J., Björkman, L. and Persson, T., 2008: Long-term changes in floristic diversity in southern Sweden: palynological richness, vegetation dynamics and land-use, *Vegetation History and Archaeobotany*, 17: 573-583.
- Canals, R.-M. and Sebastià, M.-T., 2000: Analyzing mechanisms regulating diversity in rangelands through comparative studies: a case in the southwestern Pyrenees, *Biodiversity and Conservation*, 9: 965-984.
- Galop, D. and Jalut, G., 1994: Differential human impact and vegetation history in two adjacent Pyrenean valleys in the Ariège basin, southern France, from 3000 BP to the present, *Vegetation History and Archeobotany*, 4: 225-244.
- Magda, D., Meuret, M., Hazard, L. and Agreil, C., 2001: Répondre à une politique de conservation de la biodiversité. Le pâturage des brebis pour la maîtrise des landes à genets, *INRA Façade*, 12: 1-4.
- Swetnam, T.W., Allen, C.D. and Betancour, J.L., 1999: Applied historical ecology: using the past to manage the future, *Ecological applications*, 9(4): 1189-1206.
- Valsecchi, V., Carraro, G., Conedera, M. and Tinner, W., 2010: Late-Holocene vegetation and land-use dynamics in the southern Alps (Switzerland) as a basis for nature protection and forest management, *The Holocene*, 20(4): 483-495.

T. Foster

- Addington, R., 2004: Ecological Monitoring Plan: Fort Benning Installation, *The Nature Conservancy*, Fort Benning, Georgia.
- Black, B.A., Foster, H.T., II, and Abrams, M.D., 2002: Combining environmentally dependent and independent analyses of witness tree data in east-central Alabama, *Canadian Journal of Forest Research*, 32: 2060-2075.
- Dale, V.H., Beyeler, S.C. and Jackson, B., 2002: Understory Vegetation Indicators of Anthropogenic Disturbance in Longleaf Pine Forests at Fort Benning, Georgia, USA, *Ecological Indicators*, 1: 155-170.

- Dale, V.H., et al., 2004: Selecting a Suite of Ecological Indicators for Resource Management. In: L.A. Kapustka, H., et al.(Eds), *Landscape Ecology and Wildlife Habitat Evaluation: Critical Information for Ecological Risk Assessment, Land-Use Management Activities and Biodiversity Enhancement Practices*, ASTM STP, ASTM International, 3-17.
- Dale, V.H. and Polasky, S., 2007: Measures of the effects of agricultural practices on ecosystem services, *Ecological Economics*, **64**: 286-296.
- Fehmi, J. et al., 2004: *SEMP Monitoring and Research Infusion Technology Transition Plan*, United States Army Corp of ERDC-CERL, Champaigne.
- Fenneman, N.M., 1938: *Physiography of the Eastern United States*, McGraw Hill, 714 pp.
- Foster, H.T., II, 2007: *The Archaeology of the Lower Muskogee Indians, 1715-1836*, University of Alabama, Tuscaloosa.
- Foster, H.T., II and Cohen, A., 2007, Palynological evidence of the effects of the deerskin trade on eighteenth century forests of southeastern North America, *American Antiquity*, **72**(1): 35-51.
- Foster, H.T., II, Black, B. and Abrams, M.D., 2004: A Witness Tree Analysis of the Effects of Native American Indians on the Pre-European Settlement Forests in East-Central Alabama, *Human Ecology*, **32**(1): 27-47.
- Foster, H.T., II, Olsen, L., Dale, V.H. and Cohen, A., 2010: Studying the Past for the Future: Managing Modern Biodiversity from Historic and Prehistoric Data, *Human Organization*, **69**(2): 149-157.
- Goran, W.D. et al., 2002: *The SEMP Approach: Plans and progress of the Strategic Environmental Research Development Program (SERDP) Ecosystem Management Project (SEMP)*, ERDC SR 02-01, United States Army Corp of Engineers, Construction Engineering Research Laboratory.
- Kane, S. and Keeton, R., 2000: *Fort Benning: The Land and the People*, Environmental Management Division, Fort Benning, Georgia.
- Olsen, L.M., Dale, V.H. and Foster, H.T., II, 2007: Landscape Patterns as Indicators of Ecological Change at Fort Benning, Georgia, *Landscape and Urban Planning*, **79**(2): 137-149.

C.E. McLean, D.T. Long and B. Pijanowski

- Alexander, J., 2006: The Muskegon: The Majesty and Tragedy of Michigan's Rarest River, Michigan State University Press, 1-214.
- Freedman, P., Canale, R. and Auer, M., 1979: *The impact of wastewater diversion spray irrigation on water quality in Muskegon County lakes*. U.S. Environmental Protection Agency, Washington, D.C. EPA 905/9-79-006-A.
- LaMP (Lake Michigan Lakewide Management Plan): 2004. Available at: <http://www.epa.gov/glnpo/lakemich/2004update/index.html>.
- Long, D.T., Parsons, M.J., Yansa, C.H., Yohn, S.S., McLean, C.E. and Vannier, R.G., 2010: Assessing the response of watersheds to catastrophic (logging) and possible secular (global temperature change) perturbations using sediment-chemical chronologies, *Applied Geochemistry*, **25**: 143-158.
- Lougheed, V.L. and Stevenson, R.J., 2004: Exotic marine macroalga (*Enteromorpha flexuosa*) reaches bloom proportions in a coastal lake of Lake Michigan, *Journal of Great Lakes Research*, **30**(4): 538-544.
- Magnuson, J.J., et al., 1997: Potential effects of climate changes on aquatic systems: Laurentian Great Lakes and Precambrian Shield Region, *Hydrological Processes*, **11**: 825-871.
- Parsons, M.J., Yohn, S.S., Long, D.T., Giesy, J.P. and Patino, L.C., 2004: Inland lakes sediment trends: sediment results analysis trends for five Michigan lakes. Department of Environmental Quality, 47pp.

- Pijanowski, B., D. K. Ray, A. D. Kendall, J. M. Duckles, and D. W. Hyndman, 2007: Using backcast land use change and groundwater travel-time models to generate land-use legacy maps for watershed management, *Ecology and Society* **12**(2): 25.
- Ray, D.K. and Pijanowski, B.C., 2010: A backcast land use change model to generate past land use maps: application and validation at the Muskegon River watershed of Michigan, USA, *Journal of Land Use Science*, **5**(1): 1-29.
- Steinman, A., Ogdahl, M., Rediske, R., Ruetz, C.R. III, Biddanda, B.A. and Nemeth, L., 2008: Current Status and Trends in Muskegon Lake, Michigan, *Journal of Great Lakes Research*, **34**: 169-188.
- Yohn, S.S., Long, D.T., Fett, J.D., Patino, L., Giesy, J.P. and Kannan, K., 2002: Assessing environmental change through chemical-sediment chronologies from inland lakes, *Lakes and Reservoirs and Management*, **7**: 217-230.
- Tang, Z., Engel, B.A., Pijanowski, B.C. and Li, K.J., 2005: Forecasting land use change and its environmental impact at a watershed scale, *Journal of Environmental Management*, **76**(1): 35-45.
- Wolin, J.A. and Stoermer, E.F., 2005: Response of a Lake Michigan coastal lake to anthropogenic catchment disturbance, *Journal of Paleolimnology*, **33**: 73-94.

L.H. Nunes

- Almeida Filho, G.S. and Coiado, E.M., 2001: Processos erosivos lineares associados a eventos pluviosos na área urbana do município de Bauru, SP. Available at: http://www.labogef.iesa.ufg.br/links/simposio_erosao/articles/T085.pdf
- Araki, R. and Nunes, L.H., 2008: Vulnerability associated with precipitation and anthropogenic factors in Guarujá City (São Paulo, Brazil) from 1965 to 2001, *Terrae - Geoscience, Geography, Environment*, **3**(1): 40-45.
- Castellano, M.S., 2010: Inundações em Campinas (SP) entre 1958 e 2007: tendências socioespaciais e as ações do poder público. Master Dissertation, IG-UNICAMP, (English Abstract).
- Changnon, S.A., Pielke Jr, R.A., Changnon, D., Sylves, R.T. and Pulwarty, R., 2000: Human factors explain the increased losses from weather and climate extremes, *Bulletin of the American Meteorological Society*, **81**: 437-442.
- EM-DAT (Emergency Events Database) www.emdat.be
- IBGE (Instituto Brasileiro de Geografia e Estatística) www.censo2010.ibge.gov.br/
- Kesavan, P.C. and Swaminathan, M.S., 2006: Managing extreme natural disasters in coastal areas, *Philosophical Transactions of the Royal Society*, **364**: 2191-2216.
- Kunkel, K.E., Pielke Jr., R.A. and Changnon, S.A., 1999: Temporal fluctuations in weather and climate extremes that cause economic and human health impacts: a review, *Bulletin of the American Meteorological Society*, **81**(3): 1077-1098.
- Marcelino, E de O., Nunes, L.H. and Kobiyama, M., 2006: Banco de dados de Desastres Naturais: análise de dados globais e regionais, *Caminhos de Geografia*, **7**(19): 130-149.
- Nunes, L.H., 2008: Critérios para a definição de eventos extremos - estudo de caso para o litoral central paulista, *Simpósio Brasileiro de Climatologia Geográfica*, **8**: 295-311. (English Abstract).
- Nunes, L.H., 2009: Compreensões e ações frente aos padrões espaciais e temporais de riscos e desastres, *Territorium*, **16**(1): 181-189. (English Abstract).
- Victor, M.A. de M., 1975: A Devastação Florestal, *Sociedade Brasileira de Silvicultura*, 1-48.
- Victor, M.A. de M., Cavalli, A.C., Guillaumon, J.R. and Serra Filho, R., 2005: Cem anos de devastação: revisitada 30 anos depois. Available at <http://antonioavalli.com/cem%20anos%20de%20devasta%C3%A7%C3%A3o.pdf> (English translation).

M. Reid and P. Gell

- Bunn, S.E., Thoms, M.C., Hamilton, S.K. and Capon, S.J., 2006: Flow variability in dryland rivers: boom, bust and the bits in between, *River Research and Applications*, 22: 179-186.
- Fluin, J., Tibby, J. and Gell, P., 2010: The palaeolimnological record from lake Cullulleraine, lower Murray River (south-east Australia): implications for understanding riverine histories, *Journal of Paleolimnology*, 43(2): 309-322.
- Gell, P., et al., 2005. Accessing limnological change and variability using fossil diatom assemblages, south-east Australia, *River Research and Applications*, 21: 257-269.
- Gell, P., Tibby, J., Little, F., Baldwin, D. and Hancock, G., 2007: The impact of regulation and salinisation on floodplain lakes: the lower River Murray, Australia, *Hydrobiologia*, 591: 135-146.
- MDBA, 2010: *Guide to the proposed Basin Plan: Overview*, Murray Darling Basin Authority, 223pp.
- Ogden, R.W., 2000: Modern and historical variation in aquatic macrophyte cover of billabongs associated with catchment development, *Regulated Rivers: Research & Management*, 16: 497-512.
- Ogden, R.W., Reid, M.A. and Thoms, M.C., 2007: Soil fertility in a large dryland floodplain: patterns, processes and the implications of water resource development, *Catena* 70(2): 114-126.
- Prosser, I.P., Rutherford, I.D., Olley, J.M., Young, W.J., Wallbrink, P.J. and Moran, C.J., 2001: Large-scale patterns of erosion and sediment transport in river networks, with examples from Australia, *Marine and Freshwater Research*, 52(1): 81-99.
- Reid, M.A., 2002: A diatom-based palaeoecological study of two billabongs on the Goulburn River floodplain, southeast Australia, *Proceedings of the 15th International Diatom Symposium*, 15: 237-253.
- Reid, M.A. 2008: Evidence for catastrophic shifts in the trophic structure of floodplain lakes associated with soil erosion. In: Schmidt, J., et al. (Eds), *Sediment Dynamics in Changing Environments*, IAHS Press, 584-590.
- Reid, M.A., Sayer, C.D., Kershaw, A.P. and Heijnis, H., 2007: Palaeolimnological evidence for submerged plant loss in a floodplain lake associated with accelerated catchment soil erosion (Murray River, Australia), *Journal of Paleolimnology*, 38: 191-208.
- Roberts, J., Chick, A., Oswald, L. and Thompson, P., 1995: Effect of carp, *Cyprinus carpio* L., an exotic benthivorous fish, on aquatic plants and water quality in experimental ponds, *Marine and Freshwater Research*, 46: 1171-1180.
- Robertson, A.I. and Rowling, R.W., 2000: Effects of livestock on riparian zone vegetation in an Australian dryland river, *Regulated Rivers: Research & Management*, 16: 527-541.
- Scheffer, M. and Carpenter, S.R., 2003: Catastrophic regime shifts in ecosystems: linking theory to observation, *Trends in Ecology & Evolution*, 18(12): 648-656.
- Walker, K.F., 1985: A review of the ecological effects of river regulation in Australia, *Hydrobiologia*, 125: 111-129.

C.R. Brodie

- Altabet, M.A., Francois, R., Murray, D.W. and Prell, W.L., 1995: Climate-related variations in denitrification in the Arabian Sea from sediment ¹⁴N/¹⁵N ratios, *Nature*, 373: 506-509.
- Brodie, C.R., Leng, M.J., Casford, J.S.L., Kendrick, C.P., Lloyd, J.M., Zong, Y.Q. and Bird, M.I., 2011a: Evidence for bias in C and N concentrations and δ¹³C composition of terrestrial and aquatic organic materials due to pre-analysis acid preparation methods, *Chemical Geology*, 282: 67-83

- Brodie, C.R., Heaton, T.H.E., Leng, M.J., Kendrick, C.P., Casford, J.S.L. and Lloyd, J.M., 2011b: Evidence for bias in measured $\delta^{15}\text{N}$ values of terrestrial and aquatic organic materials due to pre-analysis acid treatment methods, *Rapid Communications in Mass Spectrometry*, **25**: 1089–1099.
- Bunting, L., Leavitt, P.R., Weidman, R.P. and Winebrooke, R.D., 2010: Regulation of the nitrogen biogeochemistry of mountain lakes by subsidies of terrestrial dissolved organic matter and the implications for climate studies, *Limnology and Oceanography*, **55**: 333-345.
- Galy, V., Bouchez, J. and France-Lanord, C., 2007: Determination of Total Organic Carbon Content and $\delta^{13}\text{C}$ in Carbonate- Rich Detrital Sediments, *Geostandards and Geoanalytical Research*, **31**(3): 199-207.
- Harris, D., Horwath, W.R. and van Kessel, C., 2001: Acid fumigation of soils to remove carbonates prior to total organic carbon or carbon-13 analysis, *Soil Society of America Journal*, **65**: 1853-1586.
- Hoefs, 1977: *Stable Isotope Geochemistry*, Springer. Berlin.
- Hu, J., Peng, P., Jia, G., Mai, B. and Zhang, G., 2006: Distribution and sources of organic carbon, nitrogen and their isotopes in sediments of the subtropical Pearl river estuary and adjacent shelf, Southern China, *Marine Chemistry*, **98**: 274 – 285.
- Ingalls, A.E., Aller, R.C., Lee, C. and Wakeham, S.G., 2004: Organic matter diagenesis in shallow water carbonate sediments, *Geochimica et Cosmochimica Acta*, **68**(21): 4363-4379.
- Jinglu, W., Chengmin, H., Haihao, Z., Schleser, G.H. and Battarbee, R., 2007: Sedimentary evidence for recent eutrophication in the northern basin of Lake Taihu, China: human impacts on a large shallow lake, *Journal of Paleolimnology*, **38**: 13–27.
- Kennedy, P., Kennedy, H. and Papadimitriou, S., 2005: The Effect of acidification on the determination of organic carbon, total nitrogen and their stable isotopic composition in algae and marine sediment, *Rapid Communications in Mass Spectrometry*, **19**: 1063-1068.
- Komada, T., Anderson, M.R. and Dorfmeier, C.L., 2008: Carbonate removal from coastal sediments for the determination of organic carbon and its isotopic signatures, $\delta^{13}\text{C}$ and $\Delta^{14}\text{C}$: comparison of fumigation and direct acidification by hydrochloric acid, *Limnology and Oceanography Methods*, **6**: 254-262.
- Kolasinski, J., Rogers, K. and Frouin, P., 2008: Effects of acidification on carbon and nitrogen stable isotopes of benthic macrofauna from a tropical coral reef, *Rapid Communications in Mass Spectrometry*, **22**: 2955-2960.
- Lohse, L., Kloosterhuis, R.T., de Stigter, H.C., Helder, W., van Raaphorst, W. and van Weering, T.C.E., 2000: Carbonate removal by acidification causes loss of nitrogenous compounds in continental margin sediments, *Marine Chemistry*, **69**: 193-201.
- Meyers, P.A., 1997: Organic geochemical proxies of paleoceanographic, paleolimnologic, and paleoclimatic processes, *Organic Geochemistry*, **27**(5/6): 213-250.
- Meyers, P.A., 2003: Applications of organic geochemistry to palaeolimnological reconstructions: a summary of examples from the Laurentian Great lakes, *Organic Geochemistry*, **34**: 261 – 289.
- Midwood, A.J. and Boutton, T.W., 1998: Soil carbonate decomposition by acid has little effect on $\delta^{13}\text{C}$ of soil organic matter, *Soil Biology and Biochemistry*, **30**(10/11): 1301-1307.
- Muller, P.J., 1977: C/N ratios in Pacific deep-sea sediments: Effect of inorganic ammonium and organic nitrogen compounds absorbed by clays, *Geochimica et Cosmochimica Acta*, **41**: 765-776.
- Nieuwenhuize, J., Erftmeijer, P.L.A., Mass, Y.E.M., Verwaal, M. and Nienhuis, P.H., 1994a: Pretreatment artefacts associated with the removal of calcareous epiphytes from seagrass leaves, *Aquatic Biology*, **48**: 355-361.
- Nieuwenhuize, J., Mass, Y.E.M. and Middleburg, J.J., 1994b: Rapid analysis of organic carbon and nitrogen in particulate materials, *Marine Chemistry*, **45**: 217-224.

- Ostle, N.J., Bol, R., Petzke, K.J. and Jarvis, S.C., 1999: Compound specific $\delta^{15}\text{N}\text{‰}$ values: amino acids in grasslands and arable soils, *Soil Biology and Biochemistry*, **31**: 1751-1755.
- Sampei, Y. and Matsumoto, E., 2008: C/N ratios in a sediment core from Nakaumi Lagoon, southwest Japan, Usefulness as an organic source indicator, *Geochemistry Journal*, **35**(3): 189-201.
- Sharpe, Z., 2007: *Principles of Isotope Geochemistry*, Prentice Hall. USA.
- Schubert, C.J. and Nielsen, B., 2000: Effects of decarbonation treatments on $\delta^{13}\text{C}$ values in marine sediments, *Marine Chemistry*, **72**: 55-59.
- Schubert, C.J. and Calvert, S.E., 2001: Nitrogen and carbon isotopic composition of marine and terrestrial organic matter in Arctic Ocean sediments: implications for nutrient utilisation and organic matter composition, *Deep-Sea research I*, **48**: 789-810.
- Smith, B.N. and Epstein, S., 1971: Two categories of $^{13}\text{C}/^{12}\text{C}$ ratios for higher plants, *Plant Physiology*, **47**: 380-384.
- Thornton, S.F. and McManus, J., 1994: Applications of Organic Carbon and Nitrogen Stable Isotope and C/N Ratios as Source Indicators of Organic Matter Provenance in Estuarine Systems: Evidence from the Tay Estuary, Scotland, *Estuarine Coastal and Shelf Science*, **38**: 219-233.
- Verardo, D.J., Froelich, P.N. and McIntyre, A., 1990: Determination of organic carbon and nitrogen in marine sediments using the Carlo Erba NA-1500 Analyzer, *Deep-Sea Research*, **37**(1): 157-165.

M. Zemp, H.J. Zumbühl, S.U. Nussbaumer, M.H. Masiokas, L.E. Espizua and P. Pitte

- Espizua, L.E., 2005: Holocene glacier chronology of Valenzuela Valley, Mendoza Andes, Argentina, *The Holocene*, **15**(7): 1079-1085.
- Espizua, L.E. and Pitte, P., 2009: The Little Ice Age glacier advance in the Central Andes (35°S), Argentina, *Palaeogeography, Palaeoclimatology, Palaeoecology*, **281**(3-4): 345-350.
- GCOS, 2010: Implementation Plan for the Global Observing System for Climate in Support of the UNFCCC (2010 Update), 180 pp.
- Haeberli, W. and Hoelzle, M., 1995: Application of inventory data for estimating characteristics of and regional climatic-change effects on mountain glaciers: a pilot study with the European Alps, *Annals of Glaciology*, **21**: 206-212.
- Holzhauser, H., 2010: *Zur Geschichte des Gornergletschers. Ein Puzzle aus historischen Dokumenten und fossilen Hölzern aus dem Gletschervorfeld*, Geographica Bernensia, G 84, Institute of Geography, University of Bern, 253 pp.
- Holzhauser, H., Magny, M. and Zumbühl, H.J., 2005: Glacier and lake-level variations in west-central Europe over the last 3500 years, *The Holocene*, **15**(6): 789-801.
- Jóhannesson, T., Raymond, C. and Waddington, E., 1989: Time-scale for adjustment of glaciers to changes in mass balance, *Journal of Glaciology*, **35**(121): 355-369.
- Jomelli, V., Favier, V., Rabatel, A., Brunstein, D., Hoffmann, G. and Francou, B., 2009: Fluctuations of glaciers in the tropical Andes over the last millennium and palaeoclimatic implications: a review, *Palaeogeography, Palaeoclimatology, Palaeoecology*, **281**(3-4): 269-282.
- Karlén, W., 1988: Scandinavian glacial and climatic fluctuations during the Holocene, *Quaternary Science Reviews*, **7**(2): 199-209.
- Luckman, B.H., 1993: Glacier fluctuation and tree-ring records for the last millennium in the Canadian Rockies, *Quaternary Science Reviews*, **12**(6): 441-450.
- Masiokas, M.H., Rivera, A., Espizua, L.E., Villalba, R., Delgado, S. and Aravena, J.C., 2009: Glacier fluctuations in extratropical South America during the past 1000 years, *Palaeogeography, Palaeoclimatology, Palaeoecology*, **281**(3-4): 242-268.

- Nesje, A., 2009: Latest Pleistocene and Holocene alpine glacier fluctuations in Scandinavia, *Quaternary Science Reviews*, **28**(21–22): 2119–2136.
- Nesje, A., Dahl, S.O., Thun, T. and Nordli, Ø., 2008: The 'Little Ice Age' glacial expansion in western Scandinavia: summer temperature or winter precipitation? *Climate Dynamics*, **30**(7–8): 789–801.
- Nicolussi, K. and Patzelt, G., 2000: Untersuchungen zur holozänen Gletscherentwicklung von Pasterze und Gepatschferner (Ostalpen), *Zeitschrift für Gletscherkunde und Glazialgeologie*, **36**(1–2): 1–87.
- Nussbaumer, S.U. and Zumbühl H.J., 2011: The Little Ice Age history of the Glacier des Bossons (Mont Blanc massif, France): a new high-resolution glacier length curve based on historical documents, *Climatic Change*, doi: 10.1007/s10584-011-0130-9.
- Nussbaumer, S.U., Zumbühl, H.J. and Steiner, D., 2007: Fluctuations of the Mer de Glace (Mont Blanc area, France) AD 1500–2050: an interdisciplinary approach using new historical data and neural network simulations, *Zeitschrift für Gletscherkunde und Glazialgeologie*, **40**(2005/2006): 1–183.
- Nussbaumer, S.U., Nesje, A. and Zumbühl, H.J., 2011: Historical glacier fluctuations of Jostedalbreen and Folgefonna (southern Norway) reassessed by new pictorial and written evidence, *The Holocene*, **21**(3): 455–472.
- Oerlemans, J., 2007: Estimating response times of Vadret da Morteratsch, Vadret da Palü, Briksdalsbreen and Nigardsbreen from their length records, *Journal of Glaciology*, **53**(182): 357–362.
- Steiner, D., Zumbühl, H.J. and Bauder, A., 2008: Two Alpine glaciers over the past two centuries: a scientific view based on pictorial sources. In Orlove, B., et al., (Eds.), *Darkening peaks: glacier retreat, science, and society*, University of California Press, Berkeley, 83–99.
- Tribolet, G., 1998: *Die Schwankungen des Rezli- und des Geltengletschers. Gletschergeschichtliche und glazialmorphologische Untersuchungen*, Unpublished diploma thesis, University of Bern, 123 pp.
- WGMS, 2008: *Global Glacier Changes: facts and figures*, Zemp, M., Roer, I., Käab, A., Hoelzle, M., Paul, F. and Haeberli, W. (Eds.), UNEP, World Glacier Monitoring Service, Zurich, Switzerland, 88 pp.
- Zumbühl, H.J., 1980: *Die Schwankungen der Grindelwaldgletscher in den historischen Bild- und Schriftquellen des 12. bis 19. Jahrhunderts, Ein Beitrag zur Gletschergeschichte und Erforschung des Alpenraumes*, Denkschriften der Schweizerischen Naturforschenden Gesellschaft (SNG), Band 92, Birkhäuser, Basel/Boston/Stuttgart, 279 pp.
- Zumbühl, H.J., Messerli, B. and Pfister, C., 1983: *Die Kleine Eiszeit: Gletschergeschichte im Spiegel der Kunst*. Katalog zur Sonderausstellung des Schweizerischen Alpen Museums Bern und des Gletschergarten-Museums Luzern vom 09.06.–14.08.1983 (Luzern), 24.08.–16.10.1983 (Bern), 60 pp.
- Zumbühl, H.J. and Holzhauser, H., 1988: Alpengletscher in der Kleinen Eiszeit, Sonderheft zum 125jährigen Jubiläum des SAC, *Die Alpen*, **64**(3): 129–322.
- Zumbühl, H.J., Steiner, D. and Nussbaumer, S.U., 2008: 19th century glacier representations and fluctuations in the central and western European Alps: an interdisciplinary approach, *Global and Planetary Change*, **60**(1–2): 42–57.

N. Graham and E. Wahl

- Amman, C., 2008: The Paleoclimate Reconstruction Challenge, *PAGES news*, 16(1): 4.
- D'Arrigo, R., Wilson, R. and Jacoby G., 2006: On the long-term context for late 20th century warming, *Journal of Geophysical Research*, **111**: D03103, doi:10.1029/2005JD006352.
- Esper, J., Cook, E.R., and Schweingruber, F.H., 2002: Low-frequency signals in long tree-ring chronologies for reconstructing of past temperature variability, *Science*, **295**: 2250–2253.

- Mann, M.E., Bradley, R.S., Hughes, M.K., 1998: Global-scale temperature patterns and climate forcing over the past six centuries, *Nature*, **392**: 779-787.
- Mann, M.E., Rutherford, S., Wahl, E. and Ammann, C., 2007: Robustness of proxy-based climate field reconstruction methods, *Journal of Geophysical Research*, **112**; D12109.
- Smerdon, J.E., Kaplan, A., Chang, D. and Evans, M.N., 2010: A pseudoproxy evaluation of the CCA and RegEM methods for reconstructing climate fields of the last millennium, *Journal of Climate*, **23**: 4856-4880, doi: 10.1175/2010JCLI3328.1.
- Tolwinski-Ward, S.E., Evans, M.N., Hughes, M.K. and Anchukaitis, K.J., 2010: An efficient forward model of the climate controls on interannual variation in tree-ring width, *Climate Dynamics*, doi:10.1007/s00382-010-0945-5.
- Cook E. R., Seager R., Cane M.A. and Stahle D.W., 2007: North American drought: Reconstructions, causes, and consequences, *Earth Science Reviews* **81(1-2)**: 93-134.

A. Krishnamurthy and M.-J. Gaillard

- Gaillard M.-J., 2008: Detecting Human impact in the pollen record. In: S.A. Elias (Ed), *Encyclopedia of Quaternary Science*, Elsevier, University of London, 2570-2595.
- Gaillard M.-J., et al., 2010: Holocene land-cover reconstructions for studies on land cover climate feedbacks, *Climate of the Past*, **6**: 483-499.
- Sugita S., 2007a: Theory of quantitative reconstruction of vegetation. I. Pollen from large sites REVEALS regional vegetation, *The Holocene*, **17**: 229-241
- Sugita S., 2007b: Theory of quantitative reconstruction of vegetation II: all you need is LOVE, *The Holocene*, **17**: 243-257
- Anupama, K., Sudhakar, S., Prasad, S. and Pujar, G.S., 2008: Temporal dynamics using a spatially resolved technology: applying RS to target sites for reconstructing vegetation history in the Eastern Ghats, *Proceedings of the National Seminar on Conservation of the Eastern Ghats*, December 28-29, 2007, ENVIS Centre, Hyderabad, 474-477.
- Gunnell, Y. and Anupama, K., 2003: Past and Present Status of Runoff Harvesting Systems in Dryland Peninsular India: A Critical Review, *Ambio*, **32(4)**: 320-324.

Supplementary Material

List of regional and thematic coordinators identified in the Indian subcontinent during the IGBP PAGES PHAROS Land-cover reconstructions workshop at Puducherry, India, 27-29 January 2011:

1. Western Himalayas (P.S. Ranhotra³),
2. Eastern Himalayas (K. Bhattacharya⁴),
3. Peninsular India with Sri Lanka (S. Prasad¹, K. Anupama¹ and T.R. Premathilake²).

These regions will each move forward in developing the following research areas. Regional thematic coordinators indicated in parentheses, where identified:

- A)** Indian pollen database and application of the biomization approach (S. Shah³ (Region 2); S. Prasad¹ and K. Anupama¹ (Region 3)). Proposed advisors include: C. Hély⁵, D. Barboni⁵ and C. Gaucherel¹ (IFP).
- B)** Pollen productivity estimates and landscape reconstruction algorithm application (N.C. Barui⁶ (Region 2) and A. Stephen¹ (Region 3)). Proposed advisors include: M.J. Gaillard⁷, L. Marquer⁷, F. Mazier⁸ and S. Sugita⁹.
- C)** Archeology and Paleoecology (syntheses and databases) (S. Pappu¹⁰, K.D. Morrisson¹¹ and Y. Subbarayalu¹ (Region 3)).

Affiliations

¹French Institute of Pondicherry, Puducherry, India

²Post Graduate institute of Archeology, University of Kelaniya, Colombo, Sri Lanka

³Birbal Sahni Institute of Palaeobotany, Lucknow, Uttar Pradesh, India

⁴Visva Bharati University, Santiniketan, West Bengal, India

⁵CEREGE, Aix en Provence, France

⁶Bose Institute, Kolkatta, West Bengal, India

⁷Linnaeus University, Sweden

⁸University of Toulouse, France

⁹University of Tallinn, Estonia

¹⁰Sharma Centre for heritage Education, Pune and Chennai, India

¹¹University of Chicago, USA

T.J. Crowley

Anderson, R.F., Ali, S., Bradtmiller, L.I., Nielsen, S.H.H., Fleisher, M.Q., Anderson, B.E. and Burckle, L.H., 2009: Wind-driven upwelling in the Southern Ocean and the deglacial rise in atmospheric CO₂, *Science*, **323**: 1443-1448.

Crowley, T.J., 1992: North Atlantic Deep Water cools the Southern Hemisphere, *Paleoceanography*, **7**: 489-497.

Hays, J.D., Imbrie, J. and Shackleton, N.J., 1976: Variations in the Earth's orbit: Pacemaker of the ice ages, *Science*, **194**: 1121-1132.

Lisiecki, L.E. and Raymo, M.E., 2005: A Pliocene-Pleistocene stack of 57 globally distributed benthic d¹⁸O records, *Paleoceanography*, **20**: doi:10.1029/2004PA001071.

Maier-Reimer, E., Mikolajewicz, U. and T. Crowley, T., 1990: Ocean GCM sensitivity experiment with an open Central American Isthmus, *Paleoceanography*, **5**: 349-366.

Marchitto, T.M., Lehman, S.J., Ortiz, J.D., Fluckiger, J. and van Geen, A., 2007: Marine radiocarbon evidence for the mechanism of deglacial CO₂ rise, *Science*, **316**: 1456-1459.

Martinson, D.G., Pisias, N.G., Hays, J.D., Imbrie, J., Moore, T.C. and Shackleton, N.J., 1987: Age dating and the orbital theory of the ice ages: Development of a high-resolution 0 to 300,000 year chronostratigraphy, *Quaternary Research*, **27**: 1-29.

Negre, C., Zahn, R., Thomas, A.L., Masque, P., Henderson, G.M., Martinez-Mendez, G., Hall, A.R. and Mas, J.L., 2010: Reversed flow of Atlantic deep water during the last glacial maximum, *Nature*, **468**: 85-88.

Petit, J.R., et al., 1999: Climate and atmospheric history of the last 420,000 years from the Vostok ice core, Antarctica, *Nature*, **399**: 429-436.

Rose, K.A., Sikes, E.L., Guilderson, T.P., Shane, P., Hill, T.M., Zahn, R., and Spero, H.J., 2010: Upper-ocean-to-atmosphere radiocarbon offsets imply fast deglacial carbon dioxide release, *Nature*, **466**: 1093-1097.

Seager, R. Battisti, D.S., Yin, J., Gordon, N., Naik, N., Clement, A., and Cane, M.A., 2002: Is the Gulf Stream responsible for Europe's mild winters? *Quarterly Journal of the Royal Meteorological Society*, **28**: 2563-2586.

Stommel, H., 1965: *The Gulf Stream* (2nd Ed.), University California Press, Berkeley, California, 265 pp.

Toggweiler, J.R. and Lea, D.W., 2009: Temperature differences between the hemispheres and ice age climate variability, *Paleoceanography*, **25**: PA2212, doi:10.1029/2009PA001758.

Toggweiler, J.R. and Samuels, B., 1995: Effect of Drake Passage on the global thermohaline circulation, *Deep Sea Research*, Part I, **42**(4): 477-500.